

TABLE 1
ALCOHOL-INDUCED DEATHS
BY CAUSE OF DEATH, RACE/ETHNICITY AND SEX
CALIFORNIA, 2002
(By Place of Residence)

CAUSE OF DEATH	ICD-10 CODES	TOTAL		ASIAN/OTHER		BLACK		HISPANIC		WHITE	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
Mental and behavioural disorders due to alcohol use	F10	666	178	30	5	47	11	162	19	427	143
Degeneration of nervous system due to alcohol	G31.2	6	1	0	0	1	0	0	0	5	1
Alcoholic polyneuropathy	G62.1	1	0	0	0	0	0	1	0	0	0
Alcoholic cardiomyopathy	I42.6	78	12	2	0	3	0	19	1	54	11
Alcoholic gastritis	K29.2	3	1	0	0	0	0	0	0	3	1
Alcoholic fatty liver	K70.0	26	13	0	0	0	2	5	2	21	9
Alcoholic hepatitis	K70.1	71	51	1	2	4	3	27	17	39	29
Alcoholic cirrhosis of liver	K70.3	1,199	464	52	19	57	49	443	80	647	316
Alcoholic hepatic failure	K70.4	163	71	5	2	5	6	59	7	94	56
Alcoholic liver disease, unspecified	K70.9	344	93	16	3	19	11	131	18	178	61
Accidental poisoning by and exposure to alcohol	X45	40	6	1	0	2	0	16	0	21	6
Intentional self poisoning by and exposure to alcohol	X65	5	2	1	0	1	0	2	0	1	2
Poisoning by and exposure to alcohol, undetermined intent	Y15	2	1	0	1	0	0	0	0	2	0
Total		2,604	893	108	32	139	82	865	144	1,492	635

Note : White, Black, and Asian/Other exclude Hispanic ethnicity. Hispanic includes any race category.

The race/ethnic groups in this table were tabulated using the first listed race when certificates included more than one race.

Alcoholic fibrosis and sclerosis of liver (K70.2) and finding of alcohol in blood (R78.0) were omitted from this table because of zero events.

Source : State of California, Department of Health Services, Death Records.